

RARITAN ICERETTE • U-LINE REFRIGERATORS



Raritan Icerette Icemaker

- Quick, simple installation
- Wrap around evaporator coil ensures an evenly cooled interior
- Produces up to 22 pounds of crescent-shaped ice a day
- Removable ice bucket stores 11 pounds of ice
- Ice production stops automatically when ice bucket is full
- No drain required
- Magnetically sealed door has sturdy stainless steel hinges and locking link
- CFC-free refrigerant with ozone depletion rating of zero
- Noncorrosive materials, fittings and fasteners
- Door can be hinged for right-hand or left-hand opening
- Each unit is assembled by hand, individually tested and backed by Raritan's one-year Limited Warranty and legendary technical support team
- For built-in installations.

Height: flange 25-1/4"; cabinet 24"

Width: flange: 15-3/8"; cabinet 14"

Depth: 14-1/2"; 120 VAC.

Order No	Mfg No	List
338407	85B515-1/02	\$1,900.00

Raritan Ice Maker Parts

Order No	Mfg No	Item	List
338396	I34M-1	Icemaker Module Board	\$151.50



Model 29 Refrigerators, Freezers and Combos (Icemaker & Refrigerator)

- 2.1 cubic feet overall refrigerator capacity.
- Daily ice rate of up to 18 lbs and storage of up to 13 lbs of crescent ice.
- Temperature setting from 34 to 45° F.
- No drain required makes it easy to install. Requires 1/4" O.D. water line.
- Conserves energy by using less electricity than a 75-watt light bulb.
- Uses under 3 gallons of water to produce 25 lbs of ice.
- Mechanical controlled passive cooling system.
- Manual defrost maximizes ice making potential.
- Vinyl coated cabinet helps withstand tough marine environments.
- Corrosion and UV resistant marine grade hardware for longevity in harsh environments.
- Aluminum framed door with anodized durable aluminum handle weathers outdoor elements on white model.
- Field reversible door with zero clearance door swing simplifies installation.
- Black model will accept a 1/4" insert panel.
- No additional clearance around sides, top or rear of unit is needed for ventilation.
- Sleek and contemporary look provides a very clean, high-end aesthetic.
- Do not obstruct front grille air flow.
- Dimensions: 28-1/2" H x 20-13/16" W x 24" D (Includes water inlet valve and door). 110 VAC.

Order No	Mfg No	Type	Color	List
231396	CO29BTP	Combo	Black	\$1,349.00
231388	CO29WHTP	Combo	White	\$1,379.00
231799	29RB	Refrigerator	Black	\$979.00
231802	ULN-29RW-00	Refrigerator	White	\$979.00



Model 75 Refrigerators & Freezers

- Frost Free defrost technology.
- 5.7 cubic feet overall freezer capacity maximizes storage and preservation of food and beverage items
- Mechanical dial control
- Freezer temperature setting from 0 to 5° F
- Mechanical controlled passive cooling system
- Four 4mm tempered glass shelves with bullnose edges
- 2 door bins
- Vinyl coated cabinet helps withstand tough marine environments
- Corrosion resistant marine grade hardware provide better product longevity in harsh environments
- Field reversible door with zero clearance door swing eases installation
- Models will accept a 1/4" insert panel
- No additional clearance around sides, top or rear of unit is needed for ventilation
- Sleek and contemporary look provides a very clean, high-end aesthetic
- Do not obstruct front grille air flow

Dimensions: 34-1/8" H x 23-15/16" W x 23-3/16" D (Includes water inlet valve and door). 110 VAC.

Order No	Mfg No	Type	Color	List
231399	1175RBL	Refrigerator	Black	\$1,129.00
231391	1175RWH	Refrigerator	White	\$1,129.00
231397	CO1175B-00	Refrigerator/Icemaker	Black	\$1,529.00
231810	75FWH	Freezer	White	\$1,099.00



Model 2275 Drawer Style Refrigerators

- 5.3 cubic feet overall capacity maximizes storage.
- Touch glass digital control featuring easy view command center manages key functions and provides user alerts such as an audible drawer open alarm.
- Digital controlled convection cooling system provides a stable and consistent environment for optimum food and beverage storage.
- Temperature setting from 34 to 45° F.
- Automatic defrost
- ENERGY STAR® / CE Tier 2 rated.
- Due to the full extension of drawers, anchoring device included and required for all installations.
- Allow 1/4" width overall for proper installation (see backside for details).
- No additional clearance around sides, top or rear of unit is needed for ventilation.
- Durable, factory installed level legs provide a more precise undercounter fit.
- Do not obstruct front grille air flow.

Dimensions: 33-7/8" H x 24" W x 23-1/4" D.

All units listed are 110 VAC.

Order No	Mfg No	Type	Color	List
231841	2275DWRR0L	Refrigerator	Black	\$2,749.00
231886	U-2275DWRCS-00	Refrigerator	Stainless Steel	\$3,119.00

U-LINE ICEMAKERS



Model 95 Icemaker

High output daily ice rate of up to 23 lbs and storage of up to 12 lbs of crescent ice.

- Conserves energy by using less electricity than a 75-watt light bulb.
- Uses under 3 gallons of water to produce 25 lbs of ice.
- No drain required makes it easy to install and requires only a 1/4" O.D. water line.
- Manual defrost maximizes ice making potential
- Vinyl coated cabinet helps withstand tough marine environments.
- Corrosion and UV resistant marine grade hardware provide better product longevity in harsh environments
- Aluminum framed door with durable aluminum handle weathers outdoor elements.
- Travel pin included for optimized, hygienic and safe at-sea travel and storage.
- Field reversible door with zero clearance door swing simplifies installation.
- 1/2" flange flush to cabinet.
- No additional clearance around sides, top or rear of unit is needed for ventilation.
- Sleek and contemporary look provides a very clean, high-end aesthetic.
- Do not obstruct front grille air flow.

Dimensions: 25-1/4" H x 13-15/16 in. W (Including flange: 15-1/16") x 17" D (Add 1-1/2 in. to depth for waterline clearance. Total required depth: 18-1/2 in.)

Order No	Mfg No	Voltage	Type	Color	List
231371	WH95TP	110 VAC	Built-in	White	\$1,079.00
231367	BI95BTP	110 VAC	Built-in	Black	\$1,029.00
231959	BI95BTP-20/2667	220 VAC W/ European Plug	Built-In	Black	\$1,199.00



Model SP-18 Compact Icemakers

- High output daily ice rate of up to 23 lbs and storage of up to 12 lbs of crescent ice.
- Conserves energy by using less electricity than a 75-watt light bulb.
- Uses under 3 gallons of water to produce 25 lbs of ice.
- No drain required makes it easy to install and requires only a 1/4" O.D. water line.
- Manual defrost maximizes ice making potential.
- Vinyl coated cabinet helps withstand tough marine environments.
- Corrosion and UV resistant marine grade hardware provide better product longevity in harsh environments.
- Aluminum framed door with durable aluminum handle weathers outdoor elements on white model.
- Travel pin included for optimized, hygienic and safe at-sea travel and storage.
- Field reversible door with zero clearance door swing simplifies installation.
- Black model will accept a 1/4" insert panel.
- 1/2" wide mounting flange flush to cabinet.
- No additional clearance around sides, top or rear of unit is needed for ventilation.
- Sleek and contemporary look provides a very clean, high-end aesthetic.
- Do not obstruct front grille air flow.

Dimensions: 18-1/2" H x 13-15/16" W (Including flange: 15-1/16 in.) x 24-1/2" D. (Add 1-1/2 in. to depth for waterline clearance. Total required depth: 26".) All models listed are 110 VAC.

Order No	Mfg No	Color	List
231795	ULN-SP18WH-03	White	\$1,139.00
231936	ULN-SP18B-03	Black	\$1,119.00



Model 98 Crescent Icemaker

- Daily ice rate of up to 25 lbs and storage of up to 25 lbs of crescent ice.
- Conserves energy by using less electricity than a 75-watt light bulb.
- Uses under 3 gallons of water to produce 25 lbs of ice.
- No drain required makes it easy to install and requires only a 1/4" O.D. water line.
- Manual defrost maximizes ice making potential.
- Stainless steel cabinet helps withstand tough marine environments.
- Corrosion resistant marine grade hardware provides better product longevity in harsh environments.
- Aluminum framed door with stainless steel panel and durable aluminum handle weathers outdoor elements.
- Travel pin included for optimized, hygienic and safe at-sea travel and storage.
- Can be built-in or freestanding.
- Field reversible door with zero clearance door swing simplifies installation.
- Will accept a 1/4" insert panel.
- No additional clearance around sides, top or rear of unit is needed for ventilation.
- Sleek and contemporary look provides a very clean, high-end aesthetic.
- Do not obstruct front grille air flow.

Dimensions: 27-3/8" H x 14-15/16" W x 21-1/2" D.

Order No	Mfg No	Voltage	List
231376	ULN-SS98TP-03	110 VAC	\$1,229.00
231965	ULN-SS98-20/2667	220 VAC W/European Plug	\$1,399.00



SS1095NF-03



SS1095FC-03



SS1095FD-03

U-Line SS1095 Stainless Steel Icemakers

- Daily ice rate of up to 23 lbs and storage of up to 12 lbs of crescent ice.
- Conserves energy by using less electricity than a 75-watt light bulb.
- Conserves water by using 2-3/4 gallons of water to produce approx. 23 lbs of ice.
- No drain required makes it easy to install and requires only a 1/4" O.D. water line.
- Manual defrost maximizes ice making potential.
- Full stainless steel cabinet helps withstand tough marine environments.
- Corrosion resistant marine grade hardware provides better product longevity in harsh environments.
- Aluminum framed door with stainless steel panel and durable stainless handle.
- Travel latch included for optimized, hygienic and safe at-sea travel and storage and for single-handed operation.
- Field reversible door with zero clearance door swing simplifies installation.
- No additional clearance around sides, top or rear of unit is needed for ventilation.
- Sleek and contemporary look provides a very clean, high-end aesthetic.
- Do not obstruct front grille air flow.

Dimensions: SS1095NF - 24-3/4" H x 13-15/16" W x 17" D
 SS1095FC - 25-1/4" H x 15-1/16" W x 17" D
 SS1095FD - 25-7/8" H x 15-15/16" W x 17" D
 Add 1-1/2" to depth for waterline clearance.

Order No	Mfg No	Description	Voltage	List
231915	SS1095NF-03	No flange	120 VAC	\$1239.00
231920	SS1095FC-03	Flange flush with cabinet	120 VAC	\$1,319.00
231948	SS1095FD-03	Flange flush with door	120 VAC	\$1,319.00

U-LINE REPLACEMENT PARTS • COMBO WASHER/DRYER

U-Line Replacement Parts

U-Line Door Gaskets

Order No	Mfg No	Item	List
269003	31493-3WHT	White Model 29 Door Gasket	\$35.00
269004	31493-3GRY	Gray Model 29 Door Gasket	\$35.00
269021	31493-4WHT	White Model 75 Door Gasket	\$35.00
269020	31493-4BLK	Black Model 75 Door Gasket	\$35.00
269001	31493-1WHT	White Model 95 Door Gasket	\$35.00
269002	31493-1GRY	Gray Model 95 Door Gasket	\$35.00
269006	31493-2WHT	White Model 98 Door Gasket	\$35.00
269005	31493-2GRY	Gray Model 98 Door Gasket	\$35.00

U-Line Grills

Order No	Mfg No	Item	List
269035	11663-WHT	Model 29 White Grill	\$29.85
269034	11663-BLK	Model 29 Black Grill	\$29.85
269037	11664-WHT	Model 75 White Grill	\$28.74
269036	11664-BLK	Model 75 Black Grill	\$28.74
269030	11662-KIT	Model 95 White Grill	\$25.00
269029	11662-BLK	Model 95 Black Grill	\$25.00
269033	11661-WHT	Model 98 White Grill	\$20.92
269031	11661-BLK	Model 98 Black Grill	\$20.92

U-Line Door Assemblies

Order No	Mfg No	Item	List
269117	29-DOOR-WHT	White Model 29 Door Assembly	\$192.70
269063	95-DOOR-WHT	White Model 95 Door Assembly	\$118.50
269022	95-DOOR-BLK	Black Model 95 Door Assembly	\$105.00

U-Line Motors and Switches

Order No	Mfg No	Item	List
102943	80-39015-00	110V Cube Ejector Motor	\$75.00
102947	2579	Limit Switch	\$14.43
102973	407	On-Off Switch for all Models	\$6.60
269044	2506	Icemaker Micro Switch	\$12.99
102977	5263	Fan Motor for All Units	\$31.75
102990	2698	Cold Control - Thermostat (29R & 75R)	\$52.35
102995	2782-S	Cold Control - Thermostat (Combo 29)	\$56.18
102928	2783	Cold Control Thermostat (12 Cavity Ice Maker)	\$43.35
102968	2763	Cold Control - Thermostat (Combos 65 & 75)	\$50.00

U-Line Door Hinges and Pins

Order No	Mfg No	Item	List
269128	11697-SB-WH	White Bottom Hinge	\$11.84
269139	11697-SM-BL	Black Hinge	\$11.84
269142	TP91-GRY-1	TP91 Gray Travel Pin	\$18.52
269007	11695-S-WHT	White Threaded Lower Hinge	\$10.75
269008	11695-S-BLK	Black Lower Threaded Hinge	\$10.75
269015	TP91-BLACK-1	TP-01 Black Travel Pin	\$18.52
269019	TP98-KIT-1	TP98 White Travel Pin	\$18.52
269023	11697-ST-WH	White threaded Pivot Plate	\$7.63
269024	11697-ST-BL	Black Threaded Pivot Plate	\$7.69

U-Line Ice Maker Parts

Order No	Mfg No	Item	List
230082	131004	Ice Maker Water Filter	\$22.50
230080	132005	Ice Maker Installation Kit	\$15.50
102970	405	Water Line Fitting	\$8.00
102971	404	41223 Water Line	\$11.00
102980	2552A	Water Solenoid Valve	\$37.50
102986	31429	Model 95 Clear Ice Bucket	\$37.50
102987	31430	Model 98 Clear Ice Bucket	\$69.58
269038	31501	Clear Ice Buckets - Combo	\$52.00
269041	31687	Ice Bucket F/Combo 29 & 75	\$62.50
269043	2603	Icemaker Shut Off Arm	\$6.63
269044	2506	Icemaker Micro Switch	\$12.99
102969	402	Ice Maker Assembly	\$230.00
102952	628123-S	12 Cavity Mold & Heater	\$61.95
269161	150	Icemaker Face Plate Assembly	\$65.75

U-Line Miscellaneous Parts

Order No	Mfg No	Item	List
269150	11926-4-BLK	Black Drawer Handle	\$39.85
102972	41254	Nut & Sleeve Assembly	\$1.00
102978	5188	Fan Blade	\$2.85



Combo Washer/Dryers

Features:

- 5 wash cycles.
- 5 Water temperature selections.
- Automatic wash thru dry.
- Fits in 24" space.
- Spins at 1000 RPM or 450 RPM.
- Automatic dispenser for bleach, softener and detergent.
- Pre-heat for automatic dry.
- Cool down feature at end of dry cycle.
- Up to 120 minutes of dry time.
- 2 Dryer temperature settings.
- C-UL approved.

Water consumption: 12 to 27 gallons.

Shipping weight: 185 lbs.

Voltage: 115 Volts - 60 Hz. 20 amp circuit recommended.

Special order only.

Order No	Type	Dimensions	List
102159	Vented	33-1/2" x 23-1/2" x 22" D.	\$1,499.99
234997	Un-vented	33.25" H x 23.5" W x 22.875" D	\$1,599.99

NORCOLD AD/DC REFRIGERATORS - FREEZERS • NORCOLD ICE BOX CONVERSION KIT



Norcold DE-0788B AC/DC Stand Alone Refrigerator/Freezer

- 3.1-cubic feet of storage.
- Exceptionally-quiet, hermetically-sealed compressor – dependable without disturbing noise, even in close quarters!
- Self-venting capability.
- Flush, undercounter mounting.
- Sharp black or stainless finishes.
- Powder-coated food-storage racks prevent rusting.
- Over-current protection.
- Low-power consumption.
- Wrapped-edge doors are reversible and replaceable.
- Two-year Warranty, best in the market.
- Two units make the perfect side-by-side refrigerator and freezer!

Dimensions: 30" H x 20-1/2" W x 20-1/8" D.



Order No	Mfg No	List
230682	DE-0788B	\$1,440.00



Norcold DE-0041R Flushmount AC/DC Refrigerator/Freezer

- Contemporary Flushmount™ styling.
- Easy to clean white powder-coated shelves.
- Convenient top-mounted controls.
- 3.6 cubic feet of interior space.
- Designed specifically for marine and truck applications.
- Exceptionally quiet, hermetically-sealed compressor.
- Easy open/close door latches - even under the counter.
- DE model offers dual current flexibility.
- 12-volt fan aids airflow for improved cooling.
- Tall container door bin storage.
- Self-ventilated design for easier integration.
- Improved cooling performance in higher ambient temperatures.
- Off level operation up to 30°. Accepts 1/4" panel in door.
- Capacity 3.6 cu. ft.

Dimensions: 30-7/8" H x 23-1/4" W x 23-1/2" D.



Order No	Mfg No	List
230633	DE-0041R	\$1,470.00

Black Plexiglass Panels for DE-0041

Order No	Mfg No	Description	Only
230671	623866	One Piece	\$39.60



Norcold Refrigerator Conversion Kit

- Converts up to a 6 cu. ft. insulated ice box into an automatic electric refrigerator.
- Single compressor and evaporator.
- Includes a power ventilation package and 12 ft. of precharged copper tubing to allow convenient placement of compressor/power supply away from evaporator plate.

Dimensions:

Compressor: 13-13/16"H x 7-1/2"W x 6"D

Evaporator: 16"H x 8-1/2"W x 10-3/8"D.

Power Source: Amps @120VAC: .83.

Amps @12-24VDC 3.1-1.55.

Net Weight: 29 lbs.

Shipping Weight: 33 lbs.



Order No	Mfg No	List
230629	SCQT-4407	\$895.00



Model DE-0751BB Compact Marine AC/DC Refrigerator

- The sleekly styled unit can withstand the harsh exposure to sun and salt with uncompromised performance.
- 2.7 cubic feet of interior space.
- Flush mount capability.
- Door liner features 2 bins, lower bin holds 2-liter bottles.
- Ergonomic handle/latch is integrated with door for a positive lock.
- Controls and power supply at top for easy access.
- Integrated circuit to sense high-current and auto re-set.
- Automatic AC-to-DC change over.
- Low noise and power consumption.
- Heavy duty hinges are durable in the roughest conditions.
- Dimensions: 20-1/2" H x 18-1/2" W x 21" D.



Order No	Mfg No	List
230683	DE-0751BB	\$990.00



Norcold 2-Door Flushmount Refrigerator

- Large freezer – 1.7 cubic feet – on top of an even larger refrigerator – 5.3 cubic feet.
- New interior light.
- Self-ventilated design for easier integration.
- Exceptionally quiet, hermetically-sealed compressor.
- Reversible, safe and stylish recessed doors.
- 12-volt fan aids airflow across condenser and compressor for improved cooling.
- Black exterior trim with optional door panel.
- Storage for varied sizes, including 2-liter, 1/2-gallon and 1-gallon containers.
- Adjustable, removable, large container door bin storage.
- Easy-clean, no-tarnish white powder-coated shelves.
- Easy open and close door latches - even under the counter.

Dimensions: 52-7/8" H x 23-1/4" W x 23-3/4" D..



Order No	Mfg No	List
230645	DE-0061R	\$1,945.00

Black Plexiglass Panels for DE-0061

Order No	Mfg No	Description	List
230656	623867	Set of 2 for DE-0061	\$60.00

D.S. HULL COMPANY, INC. • WHOLESALE MARINE DISTRIBUTOR • PHONE 954-463-4307 • TOLL FREE 1-800-437-1002

SCOTSMAN REFRIGERATOR, FREEZER & ICEMAKER • SUB-ZERO REFRIGERATORS, FREEZERS & ICEMAKERS

SCOTSMAN

Compact Refrigerator

- Matching companion to DC33 Ice Machine.
- Contemporary styling.
- Door panels will accept custom inserts allowing you to match cabinetry and decor.
- Deep door shelves will accommodate quart soda bottles and even tall wine bottles.
- Push button defrost, adjustable cold control, freezer compartment and adjustable chrome plated shelves.
- Black color exterior standard, other colors available on special order basis.
- Front ventilation and four leveling legs.

Components include an air-cooled force draft condenser and 1/20th HP compressor. 1" foamed in place polyurethane insulation. Magnetic door gasket helps return door to fully closed and tightly sealed position.

Requires 115 Volt, 60 Hz AC power. Supplied with 6 foot long, 3 wire cord with grounded plug. 1.5 amps total load.

Dimensions: 33" high x 15" wide x 24" deep.

Order No	Mfg No	Color	List
103053	RFE33A-1WC	Black	\$1,280.00



SCOTSMAN

Scotsman Clear Ice Cube Maker

- Matching companion to RFE33 Refrigerator.
- Makes up to 30 lbs. of ice and stores 26 lbs.
- Manufactures ice continuously until the bin is full, a rod type thermostat automatically shuts the machine off. As ice is removed, the thermostat senses a difference in temperature and restarts the machine automatically.
- This compact unit makes clear, hard, gourmet ice which cools drinks quicker and keeps them cool longer.

Requires 115 volt, 60 Hz AC power. Supplied with 6 foot 3 wire cord with grounded plug. 3.2 amps total load. Water inlet: 1/4" O.D. copper cold water line - minimum 20 psi required. Gravity drain: 5/8" O.D. copper or 5/8" I.D. plastic tubing, run to open trapped or vented drain. Dimensions: 33" H x 15" W x 24" D. Color: black.

Order No	Mfg No	Features	Color	List
103059	DC33PA-1WC	With Drain Pump	Black	\$1,882.00
103052	DC33A-1WC	Without Drain Pump	Black	\$1,659.00



Scotsman DC33 Replacement Parts & Accessories

Order No	Mfg No	Item	List
103054	02-2479-21	DC-33 Ice maker Curtain	\$50.00
103055	12-2907-21	DC-33 Water Valve	\$157.56
103151	12-2317-21	Timer & Switch Assembly	\$155.00
108298	11-0503-21	Cube Thermostat	\$150.00

SCOTSMAN

Scotsman Ice Machine Cleaner

- Scale remover for ice machines.
- Concentrated scale remover and cleaner.
- Nickel safe, food grade.
- Removes lime scale deposits from Scotsman ice machines.
- Approved for use with any Scotsman ice machine.



Order No	Mfg No	Size	List
103051	19-0653-01	16 oz.	\$32.99

SUB-ZERO



UC 24R



UC 24C



UC 24BS

Subzero Undercounter Refrigerators, Freezers & Ice makers

Model UC-24 Refrigeration Units

Refrigerator Only

- Easy-access electronic controls with LCD display
- Two-liter bottle storage in the bottom door shelf
- Adjustable, spill-proof cantilever glass shelves and spill-proof glass floor
- Clear utility bin for storage of smaller items

Refrigerator/Freezer

- Easy-access electronic controls with LCD display
- Adjustable, spill-proof cantilever glass shelves
- Roller-glide wine storage shelf faced with natural cherry wood has a three-quarter extension for easy access
- Two-liter bottle storage in the bottom door shelf

Refrigerator/Freezer with Ice Maker

- Same features as Refrigerator/Freezer plus
- Automatic ice maker with clear ice bucket

Electrical Requirements: 115 V AC, 60 Hz, 15-amp circuit.

UL approved for US and Canada.

Dimensions: W 23-7/8" H 34" D 24".


Face panels not included.

Order No	Mfg No	Description	Door Swing	List
106196	UC-24R-RH	Refrigerator Only	Right Hand	\$2,104.00
106207	UC-24R-LH	Refrigerator Only	Left Hand	\$2,104.00
106220	UC-24C-RH	Refrigerator/Freezer	Right Hand	\$2,657.60
106232	UC-24CI	Refrigerator/Freezer/Icemaker	Right Hand	\$2,657.60
106245	UC-24BS/S/TH	Beverage Center	Right Hand	\$2,403.20

Subzero Series 249 Spare Parts & Accessories

Order No	Mfg No	Item	List
103074	3210180	Gasket for 249 Series	\$75.00
103086	3012060	Thermostat for 249FF	\$66.00
103097	3012070	Thermostat for 249RP	\$100.00

SUB-ZERO



Model 700 Drawer Style Units

- Electronic controls.
- Bright drawer lighting.
- Audible alarm if a drawer is left open.
- A removable crisper cover with a clear view window can be used in either drawer.
- Each storage drawer has a removable divider.
- UL approved for US and Canada.

Refrigerator: 5.3 cu. ft. of storage (Refrigerator).

Freezer: 5.1 cu. ft. of storage (Freezer).

Crated weight: 110 lbs.

Overall size: 34-1/2" H x 27" W x 24" D.

Face panels not included.

Order No	Mfg No	Type	List
103079	700BR	Refrigerator	\$4,396.80
106183	700BF	Freezer	\$4,396.80